



WIRING ACCESSORIES - ADDITION CATALOGUE

(2017 HK ELECTRONIC FAIR AUTUMN EDITION)

**Professional Electronic
Components Manufacturer**



Sugo Products
www.sugo.com.hk

Standard Nylon Cable Ties

Material: Nylon 66, 94V-2
Standard Color: Natural / Black
operation temperature -20°C~85°C



Part-no.	Length x Width (mm)	Max. Bundle Diameter ø	Min. Tensile Strength
512-3-0703	80 x 1.8	12 mm	4 kgs
512-3-0704	100 x 2.5	22 mm	8 kgs
512-3-0705	150 x 3.6	35 mm	18 kgs
512-3-0706	200 x 3.6	53 mm	18 kgs
512-3-0707	200 x 4.8	50 mm	22 kgs
512-3-0708	250 x 4.8	60 mm	22 kgs
512-3-0709	300 x 4.8	76 mm	22 kgs
512-3-0710	370 x 4.8	102 mm	22 kgs
512-3-0711	250 x 7.6	65 mm	54 kgs
512-3-0712	292 x 7.6	76 mm	54 kgs
512-3-0713	368 x 7.6	102 mm	54 kgs
512-3-0714	430 x 9.0	110 mm	78 kgs
512-3-0715	526 x 9.0	140 mm	79 kgs
512-3-0716	610 x 9.0	187 mm	80 kgs
512-3-0717	776 x 9.0	228 mm	80 kgs
512-3-0718	912 x 9.0	263 mm	80 kgs
512-3-0719	1220 x 9.0	365 mm	80 kgs

Colored Standard Nylon Cable Ties

Material: Nylon 66, 94V-2
operation temperature -20°C~85°C

Color	color-code
White	02
Black	03
Red	04
Blue	05
Orange	06
Green	07
Yellow	08
Grey	09
Pink	10
Brown	11
Violet	12



Please contact us for other special colors enquiry!

Part-no.	Length x Width (mm)	Max. Bundle Diameter ø	Min. Tensile Strength
512-3-0704-color code	100 x 2.5	22 mm	8 kgs
512-3-0705-color code	150 x 3.6	35 mm	18 kgs
512-3-0706-color code	200 x 3.6	53 mm	18 kgs
512-3-0708-color code	250 x 4.8	60 mm	22 kgs
512-3-0709-color code	300 x 4.8	76 mm	22 kgs

Weatherproof Cable Ties


*UV-resistant for outdoor use.
*Wide operation temperature range from -40°C to 105°C

UV-stabilised Nylon 6/6
Color - Black



Part-no.	Length x Width (mm)	Max. Bundle Diameter ø	Min. Tensile Strength
512-3-0720	80 x 1.8	12 mm	4 kgs
512-3-0721	100 x 2.5	22 mm	8 kgs
512-3-0722	150 x 3.6	35 mm	18 kgs
512-3-0723	200 x 3.6	53 mm	18 kgs
512-3-0724	200 x 4.8	50 mm	22 kgs
512-3-0725	250 x 4.8	60 mm	22 kgs
512-3-0726	300 x 4.8	76 mm	22 kgs
512-3-0727	370 x 4.8	102 mm	22 kgs
512-3-0728	250 x 7.6	65 mm	54 kgs
512-3-0729	292 x 7.6	76 mm	54 kgs
512-3-0730	368 x 7.6	102 mm	54 kgs
512-3-0731	430 x 9.0	110 mm	78 kgs
512-3-0732	526 x 9.0	140 mm	79 kgs
512-3-0733	610 x 9.0	187 mm	80 kgs
512-3-0734	776 x 9.0	228 mm	80 kgs
512-3-0735	912 x 9.0	263 mm	80 kgs
512-3-0736	1220 x 9.0	365 mm	80 kgs

GLOW - IN - THE - DARK Luminescence Cable Ties



LIME GREEN

SKY BLUE



under light



in the dark

Part-no.	Length x Width (mm)	Max. Bundle Diameter ø	Min. Tensile Strength
512-3-0737	100 x 2.5	22 mm	Lime Green
512-3-0738	200 x 3.6	53 mm	Lime Green
512-3-0739	300 x 4.8	76 mm	Lime Green
512-3-0740	100 x 2.5	22 mm	Sky Blue
512-3-0741	200 x 3.6	53 mm	Sky Blue
512-3-0742	300 x 4.8	76 mm	Sky Blue


FLUORESCENCE CABLE TIES

Color	color-code
Fluorescence Yellow	13
Fluorescence Red	14
Fluorescence Blue	15
Fluorescence Green	16
Fluorescence Orange	17



Part-no.	Length x Width (mm)	Max. Bundle Diameter ø	Min. Tensile Strength
512-3-0703-color code	80 x 1.8	12 mm	4 kgs
512-3-0704-color code	100 x 2.5	22 mm	8 kgs
512-3-0705-color code	150 x 3.6	35 mm	18 kgs
512-3-0706-color code	200 x 3.6	53 mm	18 kgs
512-3-0707-color code	200 x 4.8	50 mm	22 kgs
512-3-0708-color code	250 x 4.8	60 mm	22 kgs
512-3-0709-color code	300 x 4.8	76 mm	22 kgs
512-3-0710-color code	370 x 4.8	102 mm	22 kgs

UV REACTIVE CABLE TIES




Part-no.	Length x Width (mm)	Max. Bundle Diameter ø	UV Reactive Color
512-3-0751	100 x 2.5	22 mm	Yellow
512-3-0752	100 x 2.5	35 mm	Blue
512-3-0753	100 x 2.5	53 mm	Red
512-3-0754	100 x 2.5	60 mm	Green

Please contact us for other dimension enquiry!

Screw Mount Ties

Material: Nylon66,94V-2
Standard Color:
Natural / Black



Part-no.	Length x Width (mm)	Screw hole ø	Max. Bundle Diameter ø
512-3-0755	100 x 2.5	3.2 mm	21 mm
512-3-0756	110 x 3.2	3.2 mm	22 mm
512-3-0757	150 x 3.6	4.2 mm	32 mm
512-3-0758	155 x 3.6	4.2 mm	36 mm
512-3-0759	171 x 3.7	4.0 mm	40 mm
512-3-0760	172 x 3.7	5.2 mm	40 mm
512-3-0761	200 x 4.8	5.5 mm	50 mm
512-3-0762	205 x 4.3	5.5 mm	50 mm
512-3-0763	220 x 4.3	5.5 mm	55 mm
512-3-0764	300 x 4.8	5.5 mm	88 mm
512-3-0765	310 x 4.8	5.5 mm	89 mm
512-3-0766	377 x 4.8	5.5 mm	108 mm
512-3-0767	406 x 4.8	5.5 mm	117 mm
512-3-0768	200 x 7.6	5.7 mm	50 mm
512-3-0769	300 x 7.6	5.7 mm	88 mm
512-3-0770	306 x 7.6	6.4 mm	89 mm
512-3-0771	460 x 7.6	6.4 mm	130 mm
512-3-0772	535 x 7.6	6.4 mm	155 mm
512-3-0773	400 x 7.9	6.2 mm	112 mm

Push Mount Ties

Material: Nylon66 94V-2
Standard Color:
Natural / Black



Part-no.	Length x Width (mm)	Panel hole ø	Panel Thickness	Max. Bundle Diameter ø
512-3-0774	110 x 2.5	4.8 mm	2.4 mm	22 mm
512-3-0775	130 x 2.5	4.8 mm	2.4 mm	28 mm
512-3-0776	130 x 3.2	4.0 mm	2.0 mm	28 mm



Part-no.	Length x Width (mm)	Panel hole ø	Panel Thickness	Max. Bundle Diameter ø
512-3-0777	110 x 2.5	4.8 mm	2.4 mm	22 mm
512-3-0778	130 x 3.2	4.0 mm	2.0 mm	28 mm
512-3-0779	130 x 4.8	6.4 mm	3.2 mm	28 mm
512-3-0780	172 x 4.8	6.4 mm	3.2 mm	38 mm
512-3-0781	200 x 4.8	6.4 mm	3.2 mm	45 mm




Part-no.	Length x Width (mm)	Panel hole ø	Panel Thickness	Max. Bundle Diameter ø
512-3-0782	130 x 4.8	6.4 mm	2.4 mm	30 mm
512-3-0783	200 x 4.8	6.4 mm	2.4 mm	50 mm
512-3-0754	225 x 4.8	4.8 mm	2.4 mm	51 mm



Part-no.	Length x Width (mm)	Panel hole ø	Panel Thickness	Max. Bundle Diameter ø
512-3-0785	150 x 3.6	5.2 mm	2.8 mm	32 mm
512-3-0786	200 x 4.8	6.3 mm	3.6 mm	46 mm


Releasable Cable ties

Material:
PA66 94V-2
Standard Color:
Natural / Black



Part-no.	Length x Width (mm)	Max. Bundle Diameter ø	Min. Tensile Strength
512-3-0787	100 x 7.6	20 mm	22 kgs
512-3-0788	120 x 7.6	30 mm	22 kgs
512-3-0789	150 x 7.6	35 mm	22 kgs
512-3-0790	200 x 7.6	50 mm	22 kgs
512-3-0791	250 x 7.6	66 mm	22 kgs
512-3-0792	300 x 7.6	80 mm	22 kgs
512-3-0793	370 x 7.6	102 mm	22 kgs
512-3-0794	450 x 9.0	132 mm	79 kgs
512-3-0795	530 x 9.0	140 mm	79 kgs

Material: PA66 94V-2
Standard Color:
Natural / Black



Part-no.	Length x Width (mm)	Max. Bundle Diameter ø	Min. Tensile Strength
512-3-0796	100 x 3.6	25 mm	18 kgs
512-3-0797	140 x 3.6	33 mm	18 kgs
512-3-0798	150 x 4.8	39 mm	22 kgs
512-3-0799	200 x 4.8	50 mm	22 kgs
512-3-0800	250 x 4.8	74 mm	22 kgs
512-3-0801	300 x 4.8	88 mm	22 kgs
512-3-0802	370 x 4.8	102 mm	22 kgs
512-3-0803	430 x 4.8	110 mm	22 kgs
512-3-0804	450 x 4.8	116 mm	22 kgs
512-3-0805	530 x 4.8	140 mm	22 kgs
512-3-0806	450 x 9.0	132 mm	79 kgs
512-3-0807	530 x 9.0	140 mm	79 kgs
512-3-0808	233 x 12.8	60 mm	114 kgs
512-3-0809	292 x 12.8	79 mm	114 kgs
512-3-0810	408 x 12.8	116 mm	114 kgs
512-3-0811	482 x 12.8	140 mm	114 kgs
512-3-0812	578 x 12.8	172 mm	114 kgs


Material: PA66 94V-2
Standard Color:
Natural / Black



Part-no.	Length x Width (mm)	Max. Bundle Diameter ø	Min. Tensile Strength
512-3-0813	228 x 12.7	54 mm	114 kgs
512-3-0814	256 x 12.7	62 mm	114 kgs
512-3-0815	279 x 12.7	70 mm	114 kgs
512-3-0816	305 x 12.7	78 mm	114 kgs
512-3-0817	328 x 12.7	86 mm	114 kgs
512-3-0818	355 x 12.7	94 mm	114 kgs
512-3-0819	380 x 12.7	102 mm	114 kgs
512-3-0820	405 x 12.7	110 mm	114 kgs
512-3-0821	455 x 12.7	127 mm	114 kgs
512-3-0822	485 x 12.7	135 mm	114 kgs
512-3-0823	510 x 12.7	143 mm	114 kgs
512-3-0824	534 x 12.7	151 mm	114 kgs
512-3-0825	560 x 12.7	159 mm	114 kgs
512-3-0826	585 x 12.7	167 mm	114 kgs
512-3-0827	610 x 12.7	175 mm	114 kgs
512-3-0828	635 x 12.7	183 mm	114 kgs
512-3-0829	660 x 12.7	191 mm	114 kgs
512-3-0830	685 x 12.7	199 mm	114 kgs
512-3-0831	710 x 12.7	207 mm	114 kgs
512-3-0832	735 x 12.7	215 mm	114 kgs
512-3-0833	760 x 12.7	224 mm	114 kgs
512-3-0834	790 x 12.7	232 mm	114 kgs
512-3-0835	813 x 12.7	243 mm	114 kgs

Strap ties



Material: PE
Standard Color:
Natural / Black



Part-no.	Type	Length x Width	Bundle ø
512-3-0836	1	135 x 15.8 mm	30 mm
512-3-0837	1	140 x 15.4 mm	35 mm
512-3-0838	2	125 x 13 mm	32 mm
512-3-0839	2	157 x 15 mm	35 mm
512-3-0840	2	205 x 15 mm	50 mm
512-3-0841	2	300 x 15 mm	80 mm
512-3-0842	3	113 x 7.5 mm	22 mm
512-3-0843	3	167 x 8.2 mm	40 mm
512-3-0844	4	208 x 14.6 mm	51 mm
512-3-0845	5	130 x 15.5 mm	28 mm
512-3-0846	6	138 x 9.8 mm	33 mm


Beaded Ties

Material: Nylon
Standard Color:
Natural / Black



Part-no.	Type	Length	Bundle ø
512-3-0847	1	120 mm	25 mm
512-3-0848	1	150 mm	35 mm
512-3-0849	1	180 mm	45 mm
512-3-0850	2	70 mm	15 mm
512-3-0851	2	107 mm	22 mm
512-3-0852	2	112 mm	80 mm
512-3-0853	3	120 mm	25 mm
512-3-0854	3	150 mm	35 mm
512-3-0855	3	180 mm	45 mm

Marker Tag Cable ties



Material: Nylon 66
Standard Color:
Natural / Black



Part-no.	Length x Width	Bundle ø	Marker tag
512-3-0856	110 x 2.5 mm	18 mm	20.4 x 9.1 mm
512-3-0857	210 x 2.5 mm	50 mm	20.4 x 9.1 mm

Material: Nylon 66
Standard Color:
Natural / Black



Part-no.	Length x Width	Bundle ø	Marker tag
512-3-0858	100 x 2.5 mm	18 mm	25 x 8 mm
512-3-0859	200 x 2.5 mm	50 mm	25 x 8 mm
512-3-0860	205 x 3.6 mm	50 mm	25 x 8 mm

Material: Nylon 66
Standard Color:
Natural / Black



Part-no.	Length x Width	Bundle ø	Marker tag
512-3-0861	130 x 2.5 mm	18 mm	28 x 20 mm

Material: Nylon 66
Standard Color:
Natural / Black



Part-no.	Length x Width	Bundle ø	Marker tag
512-3-0862	190 x 4.8 mm	46 mm	13 x 28 mm
512-3-0863	200 x 2.5 mm	50 mm	15 x 30 mm
512-3-0864	220 x 4.8 mm	54 mm	13 x 28 mm
512-3-0865	270 x 4.8 mm	65 mm	13 x 28 mm
512-3-0866	300 x 4.8 mm	76 mm	13 x 28 mm
512-3-0867	370 x 4.8 mm	102 mm	13 x 28 mm
512-3-0868	220 x 4.8 mm	54 mm	13 x 55 mm
512-3-0869	270 x 4.8 mm	65 mm	13 x 55 mm
512-3-0870	300 x 4.8 mm	76 mm	13 x 55 mm
512-3-0871	370 x 4.8 mm	102 mm	13 x 55 mm

Material: Nylon 66
Standard Color:
Natural / Black



Part-no.	Length x Width	Bundle ø	Marker tag
512-3-0872	220 x 4.8 mm	54 mm	30 x 28 mm
512-3-0873	270 x 2.5 mm	65 mm	30 x 28 mm
512-3-0874	300 x 4.8 mm	76 mm	30 x 28 mm
512-3-0875	370 x 4.8 mm	102 mm	30 x 28 mm
512-3-0876	220 x 4.8 mm	54 mm	30 x 55 mm
512-3-0877	270 x 4.8 mm	65 mm	30 x 55 mm
512-3-0878	300 x 4.8 mm	76 mm	30 x 55 mm
512-3-0879	370 x 4.8 mm	102 mm	30 x 55 mm

Material: Nylon 66
Standard Color:
Natural / Black



Part-no.	Length x Width	Bundle ø	Marker tag
512-3-0880	220 x 4.8 mm	54 mm	47 x 28 mm
512-3-0881	270 x 2.5 mm	65 mm	47 x 28 mm
512-3-0882	300 x 4.8 mm	76 mm	47 x 28 mm
512-3-0883	370 x 4.8 mm	102 mm	47 x 28 mm
512-3-0884	220 x 4.8 mm	54 mm	47 x 55 mm
512-3-0885	270 x 4.8 mm	65 mm	47 x 55 mm
512-3-0886	300 x 4.8 mm	76 mm	47 x 55 mm
512-3-0887	370 x 4.8 mm	102 mm	47 x 55 mm


Snap Lock Pins Loops

Material: PP
Standard Color:
Natural / Black



Part-no.	Length	Bundle ø
512-3-0888	85 mm	18 mm
512-3-0889	125 mm	32 mm
512-3-0890	178 mm	42 mm
512-3-0891	230 mm	60 mm

Material: PP
Standard Color:
Natural / Black



Part-no.	Length	Bundle ø
512-3-0892	85 mm	18 mm
512-3-0893	125 mm	32 mm
512-3-0894	178 mm	42 mm
512-3-0895	230 mm	60 mm

Material: PP
Standard Color:
Natural / Black



Part-no.	Length	Bundle ø
512-3-0896	75 mm	18 mm
512-3-0897	125 mm	32 mm
512-3-0898	175 mm	42 mm
512-3-0899	225 mm	60 mm

Steel Lock Cable ties

Material: Nylon 66
Standard Color:
Natural / Black



Part-no.	Length x Width	Bundle ø
512-3-0901	102 x 2.4 mm	23 mm
512-3-0902	160 x 2.4 mm	42 mm
512-3-0903	201 x 2.4 mm	51 mm
512-3-0904	361 x 2.4 mm	105 mm
512-3-0905	100 x 3.0 mm	22 mm
512-3-0906	155 x 3.6 mm	35 mm
512-3-0907	284 x 3.6 mm	80 mm
512-3-0908	368 x 3.6 mm	104 mm
512-3-0909	200 x 3.8 mm	50 mm
512-3-0910	150 x 3.9 mm	35 mm
512-3-0911	186 x 4.8 mm	45 mm
512-3-0912	250 x 4.8 mm	65 mm
512-3-0913	295 x 4.8 mm	79 mm
512-3-0914	361 x 4.8 mm	100 mm
512-3-0915	376 x 4.8 mm	107 mm
512-3-0916	250 x 5.0 mm	65 mm
512-3-0917	200 x 6.0 mm	50 mm
512-3-0918	221 x 7.0 mm	51 mm
512-3-0919	300 x 7.0 mm	80 mm
512-3-0920	378 x 7.0 mm	102 mm
512-3-0921	385 x 7.0 mm	84 mm
512-3-0922	394 x 7.0 mm	76 mm
512-3-0923	460 x 7.0 mm	127 mm
512-3-0924	538 x 7.0 mm	152 mm
512-3-0925	620 x 7.0 mm	180 mm
512-3-0926	699 x 7.0 mm	203 mm
512-3-0927	780 x 7.0 mm	230 mm
512-3-0928	140 x 8.0 mm	34 mm
512-3-0929	175 x 8.0 mm	43 mm
512-3-0930	200 x 8.0 mm	53 mm
512-3-0931	240 x 8.0 mm	57 mm
512-3-0932	300 x 8.0 mm	76 mm
512-3-0933	350 x 8.0 mm	92 mm
512-3-0934	400 x 8.0 mm	108 mm
512-3-0935	300 x 10 mm	77 mm
512-3-0936	350 x 10 mm	97 mm
512-3-0937	400 x 10 mm	109 mm
512-3-0938	450 x 10 mm	124 mm
512-3-0939	600 x 10 mm	186 mm

Stainless Steel Cable ties

Ball Lock

Material: Stainless Steel



Part-no.	Length x Width (mm)	Max. Bundle Diameter ø	Min. Tensile Strength
512-3-0940	100 x 4.6	22 mm	46 kgs
512-3-0941	127 x 4.6	33 mm	46 kgs
512-3-0942	152 x 4.6	35 mm	46 kgs
512-3-0943	200 x 4.6	50 mm	46 kgs
512-3-0944	266 x 4.6	69 mm	46 kgs
512-3-0945	300 x 4.6	80 mm	46 kgs
512-3-0946	360 x 4.6	95 mm	46 kgs
512-3-0947	520 x 4.6	150 mm	46 kgs
512-3-0948	680 x 4.6	195 mm	46 kgs
512-3-0949	840 x 4.6	250 mm	46 kgs
512-3-0950	1050 x 4.6	285 mm	46 kgs
512-3-0951	127 x 7.9	25 mm	114 kgs
512-3-0952	152 x 7.9	35 mm	114 kgs
512-3-0953	200 x 7.9	50 mm	114 kgs
512-3-0954	300 x 7.9	80 mm	114 kgs
512-3-0955	360 x 7.9	95 mm	114 kgs
512-3-0956	520 x 7.9	150 mm	114 kgs
512-3-0957	680 x 7.9	195 mm	114 kgs
512-3-0958	840 x 7.9	250 mm	114 kgs
512-3-0959	1050 x 7.9	285 mm	114 kgs

Ladder Step Lock

Material: Stainless Steel



Part-no.	Length x Width (mm)	Max. Bundle Diameter ø	Min. Tensile Strength
512-3-0960	150 x 7.0	33 mm	60 kgs
512-3-0961	225 x 7.0	57 mm	60 kgs
512-3-0962	300 x 7.0	81 mm	60 kgs
512-3-0963	335 x 7.0	92 mm	60 kgs
512-3-0964	400 x 7.0	113 mm	60 kgs
512-3-0965	450 x 7.0	129 mm	60 kgs
512-3-0966	490 x 7.0	141 mm	60 kgs
512-3-0967	550 x 7.0	161 mm	60 kgs
512-3-0968	600 x 7.0	176 mm	60 kgs
512-3-0969	650 x 7.0	192 mm	60 kgs
512-3-0970	700 x 7.0	208 mm	60 kgs
512-3-0971	750 x 7.0	224 mm	60 kgs
512-3-0972	800 x 7.0	240 mm	60 kgs

PVC Coated Steel Ties

Material: Stainless Steel
Coating: Epoxy PVC
Colors: Blue / Red / Yellow
Green / White / Black




Part-no.	Length x Width (mm)	Max. Bundle Diameter ø	Min. Tensile Strength
512-3-0973	200 x 4.6	50 mm	135 kgs
512-3-0974	300 x 4.6	76 mm	135 kgs
512-3-0975	400 x 4.6	102 mm	135 kgs
512-3-0976	500 x 4.6	128 mm	135 kgs
512-3-0977	600 x 4.6	154 mm	135 kgs
512-3-0978	200 x 7.9	50 mm	180 kgs
512-3-0979	300 x 7.9	76 mm	180 kgs
512-3-0980	400 x 7.9	102 mm	180 kgs
512-3-0981	500 x 7.9	128 mm	180 kgs
512-3-0982	600 x 7.9	154 mm	180 kgs
512-3-0983	200 x 12	50 mm	270 kgs
512-3-0984	300 x 12	76 mm	270 kgs
512-3-0985	400 x 12	102 mm	270 kgs
512-3-0986	500 x 12	128 mm	270 kgs
512-3-0987	600 x 12	154 mm	270 kgs
512-3-0988	200 x 15	50 mm	270 kgs
512-3-0989	300 x 15	76 mm	337 kgs
512-3-0990	400 x 15	102 mm	337 kgs
512-3-0991	500 x 15	128 mm	337 kgs
512-3-0992	600 x 15	154 mm	337 kgs

Twist-Lock Ties

Material: Nylon 66
Standard Color:
Natural / Black



Part-no.	A x B (mm)	Max. Bundle Diameter ϕ
512-6-0701	17.8 x 5.1	4.0 mm
512-6-0702	16.5 x 5.6	5.0 mm
512-6-0703	23.8 x 8.3	7.3 mm
512-6-0704	28 x 11.5	10 mm
512-6-0705	32.5 x 13.2	11.5 mm
512-6-0706	30.4 x 15.4	13.8 mm
512-6-0707	35 x 18.8	17.2 mm
512-6-0708	42 x 22	19.5 mm
512-6-0709	41.4 x 25.8	24.2 mm
512-6-0710	55.5 x 29	26.8 mm



Part-no. Max. Bundle Diameter ϕ

512-6-0711	11.1 mm
512-6-0712	16 mm
512-6-0713	10 mm
512-6-0714	18.5 mm
512-6-0715	19.4 mm
512-6-0716	21.8 mm
512-6-0717	25 mm
512-6-0718	28.3 mm
512-6-0719	30.9 mm
512-6-0720	38.5 mm



Cable Lock Clamp



Cable Ties Holder

Self-Adhesive Tie Holder

Material: Nylon 66
Standard Color:
Natural / Black



Part-no.	Dimension (LxWxH)	Tie hole ϕ
512-6-0721	19 x 19 x 5 mm	4.0 x 1.9 mm
512-6-0722	26 x 26 x 7.1 mm	5.0 x 2.0 mm
512-6-0723	27.8 x 27.8 x 5.5 mm	5.6 x 2.0 mm



Material: Nylon 66
Standard Color:
Natural / Black


Part-no.	Dimension (LxWxH)	Tie hole ϕ
512-6-0724	13 x 13 x 3.2 mm	3.2 x 1.3 mm
512-6-0725	16 x 16 x 4.0 mm	3.8 x 1.5 mm
512-6-0726	19 x 19 x 4.0 mm	4.0 x 1.6 mm
512-6-0727	25.4 x 25.4 x 5.2 mm	5.6 x 1.6 mm

Screw Mount Tie Holder

Material: Nylon 66
Standard Color:
Natural / Black



Part-no.	Dimension (LxWxH)	Tie hole ϕ	Screw hole ϕ
512-6-0728	13.3 x 8.2 x 5.9 mm	3.6 x 1.8 mm	3.2 mm
512-6-0729	15.2 x 9.7 x 6.6 mm	5.2 x 2.0 mm	3.5 mm
512-6-0730	14.9 x 9.6 x 7.2 mm	5.6 x 1.5 mm	4.5 mm
512-6-0731	22 x 16 x 9.6 mm	9.2 x 2.3 mm	6.4 mm




Material: Nylon 66
Standard Color:
Natural / Black


Part-no.	Dimension (LxWxH)	Tie hole ϕ	Screw hole ϕ
512-6-0732	19 x 9.5 x 4.8 mm	5.5 x 2.2 mm	3.6 mm
512-6-0733	19 x 9.5 x 5.0 mm	5.0 x 1.7 mm	4.3 mm
512-6-0734	19 x 9.5 x 5.0 mm	5.0 x 1.7 mm	6.5 mm

Cable Clips

Material: HDPE + Steel nails
Standard Color: Whitel / Black



Part-no.	H (mm)	B ϕ (mm)	Nail (mm)
512-6-0735	5.3	4.0	1.7 x 15
512-6-0736	6.5	5.0	1.7 x 15
512-6-0737	8.1	6.0	1.7 x 17
512-6-0738	8.7	7.0	1.8 x 19
512-6-0739	9.6	8.0	1.9 x 21
512-6-0740	10.7	9.0	2.0 x 22
512-6-0741	11.7	10	2.0 x 25
512-6-0742	12.8	12	2.0 x 27
512-6-0743	14.9	14	2.4 x 32
512-6-0744	16.9	16	2.5 x 35
512-6-0745	20.8	18	2.5 x 37
512-6-0746	23.6	20	2.8 x 42
512-6-0747	25.0	22	2.8 x 48
512-6-0748	27.7	25	3.2 x 48
512-6-0749	33.1	30	3.2 x 53
512-6-0750	36.6	35	3.2 x 58
512-6-0751	45.2	40	3.4 x 60




Material: Nylon 66
Standard Color:
Natural / Black




Part-no.	Bundle ϕ	(LxW)	Screw hole ϕ
512-6-0755	3.0 mm	9.9 x 8.5 mm	4.4 mm
512-6-0756	3.2 mm	6.5 x 6.8 mm	3.8 mm
512-6-0757	3.5 mm	6.3 x 6.4 mm	3.7 mm
512-6-0758	4.5 mm	9.9 x 7.8 mm	4.4 mm
512-6-0759	5.0 mm	10 x 9.5 mm	4.2 mm
512-6-0760	5.6 mm	9.6 x 7.5 mm	4.4 mm
512-6-0761	6.2 mm	9.3 x 10.2 mm	5.0 mm
512-6-0762	6.5 mm	10 x 9.9 mm	4.3 mm
512-6-0763	7.6 mm	9.5 x 10.5 mm	5.0 mm
512-6-0764	8.0 mm	9.2 x 10.7 mm	5.4 mm
512-6-0765	8.3 mm	9.5 x 12 mm	3.2 mm
512-6-0766	9.0 mm	9.5 x 12.4 mm	4.8 mm
512-6-0767	11.0 mm	10 x 13 mm	4.2 mm
512-6-0768	11.5 mm	10 x 14 mm	4.2 mm
512-6-0769	12.8 mm	12.9 x 16 mm	5.4 mm
512-6-0770	15.5 mm	12.5 x 17 mm	4.8 mm
512-6-0771	17 mm	13 x 20 mm	5.4 mm
512-6-0772	20 mm	13 x 21 mm	5.4 mm

Material: Nylon 66
Standard Color:
Natural / Black



Part-no.	A	B	C	D ϕ
512-6-0773	20 mm	14 mm	5.4 mm	3.2 mm
512-6-0774	23.2 mm	16 mm	6.6 mm	4.4 mm
512-6-0775	23.7 mm	16.5 mm	6.6 mm	4.4 mm


Material: Nylon 66
Standard Color:
Natural / Black



Part-no.
512-6-0776


Self-Adhesive Cable Clips

Material: Nylon 66
Standard Color:
Natural / Black




Part-no.	Dimension LxWxH	Bundle A x B
512-7-2011	12.5 x 9.5 x 5.2 mm	8.4 x 2.5 mm
512-7-2012	13 x 9.2 x 5.6 mm	8.5 x 3.0 mm
512-7-2013	12.7 x 12.7 x 5.0 mm	8.1 x 2.5 mm
512-7-2014	14.5 x 9.5 x 5.7 mm	10.2 x 2.5 mm
512-7-2015	16 x 13 x 5.6 mm	11.5 x 2.9 mm
512-7-2016	9.8 x 9.5 x 3.9 mm	6.7 x 1.5 mm

Material: Nylon 66
Standard Color:
Natural / Black



Part-no.	Type	Dimension LxWxH	Bundle A x B
512-7-2017	1	14 x 16 x 8.0 mm	8.2 x 5.2 mm
512-7-2018	1	16.8 x 16 x 9.5 mm	10.2 x 6.7 mm
512-7-2019	1	19 x 19 x 11 mm	12.5 x 8.1 mm
512-7-2020	1	20.8 x 19 x 11.3 mm	13.6 x 8.2 mm
512-7-2021	1	15.4 x 16 x 7.3 mm	9.9 x 4.7 mm
512-7-2022	2	25.4 x 25.4 x 16 mm	18.2 x 12.5 mm
512-7-2023	3	25.4 x 15.5 x 11.3 mm	11.6 x 7.8 mm
512-7-2024	3	25.2 x 25.2 x 11.0 mm	11.6 x 7.6 mm


Material: PVC
Standard Color:
Grey / Black



Part-no.	Dimension LxWxH	Bundle A x B
512-7-2025	19 x 19 x 7 mm	3.2 mm
512-7-2026	19 x 19 x 12 mm	6.4 mm
512-7-2027	19 x 19 x 15 mm	9.5 mm
512-7-2028	25 x 25 x 17.5 mm	12.7 mm
512-7-2029	25 x 25 x 19 mm	14.3 mm
512-7-2030	25 x 25 x 23 mm	19.1 mm
512-7-2031	25 x 25 x 24.6 mm	22.2 mm


Material: PE
Standard Color: Black / White

Part-no.	L x W	Bundle
	21 x 16.7 mm	2.5 ~ 3.5 mm




Self-Adhesive Cable clamp



Material: Nylon 66
Standard Color:
Natural / Black





Part-no.	Dimension LxWxH	Bundle Bø
512-6-0777	31.9 x 20 x 20 mm	13.8 mm
512-6-0778	26.2 x 20 x 14 mm	8.5 mm
512-6-0779	27.9 x 25 x 13 mm	8.2 mm
512-6-0780	28.2 x 21 x 19 mm	10 mm
512-6-0781	27.3 x 18.5 x 21 mm	10 mm
512-6-0782	56.2 x 38 x 20 mm	34 mm
512-6-0783	27.6 x 10 x 19.8 mm	5.8 mm
512-6-0784	21.9 x 20 x 13 mm	7.2 mm
512-6-0785	37 x 25 x 13 mm	17 mm
512-6-0786	39 x 25 x 13 mm	20 mm
512-6-0787	41 x 28 x 15 mm	23 mm
512-6-0788	34.7 x 25 x 20 mm	13.2 mm




Self-Adhesive Metal Cable Clips



Part-no.	Dimension LxWxH	max .Bundle
512-6-0789	16 x 10.6 x 9.4 mm	approx. 6mm
512-6-0790	19 x 16 x 14.9 mm	approx. 9mm




Part-no.	Dimension LxWxH	max .Bundle
512-6-0791	20 x 10 x 11.6 mm	approx. 6mm
512-6-0792	25 x 15 x 17.1 mm	approx. 9mm




Part-no.	Dimension AxB	max .Bundle
512-6-0793	25.4 x 11.9 mm	approx. 12.7mm
512-6-0794	25.4 x 16.3 mm	approx. 19.1mm

Self-Adhesive Cable clamp Adjustable



Material: Nylon 66
Standard Color:
Natural / Black



Part-no.	(LxW)	Bundle range
512-7-2033	24.8 x 18.8 mm	7.9 ~ 10.3 mm
512-7-2034	25.4 x 15 mm	11 ~ 13.3 mm
512-7-2035	30.2 x 15 mm	11.9 ~ 14.3 mm
512-7-2036	34.4 x 18.8 mm	14.7 ~ 19.1 mm
512-7-2037	36 x 19 mm	18 ~ 22 mm
512-7-2038	39.8 x 19.8 mm	22 ~ 26.5 mm



Material: Nylon 66
Standard Color:
Natural / Black



Part-no.	(LxW)	A	Bø	Bundle ø
512-7-2039	20 x 15 mm	5.0 mm	3.5 mm	12 mm
512-7-2040	25 x 18 mm	7.9 mm	3.5 mm	13 mm
512-7-2041	25 x 18 mm	7.9 mm	3.5 mm	17 mm
512-7-2042	25 x 18 mm	8.1 mm	3.5 mm	18 mm
512-7-2043	20 x 15 mm	5.0 mm	3.5 mm	19 mm
512-7-2044	30.5 x 21 mm	12 mm	3.5 mm	22 mm
512-7-2045	30.5 x 21 mm	12 mm	3.5 mm	26 mm


Self-Adhesive Flat Cable Clips

Material: PVC
Standard Color:
Grey / Black / White

Part-no.	Dimension LxWxH
512-7-2046	15 x 25 x 10 mm
512-7-2047	20 x 25 x 10 mm
512-7-2048	25 x 25 x 10 mm
512-7-2049	28 x 25 x 10 mm

Part-no.	Dimension LxWxH
512-7-2050	15 x 13 x 6 mm
512-7-2051	20 x 13 x 6 mm
512-7-2052	25 x 13 x 6 mm
512-7-2053	28 x 13 x 6 mm

Material: Nylon 66
Standard Color:
Natural / Black




Part-no.	L	W	H	B
512-7-2054	77.6 mm	19.7 mm	12 mm	64 mm
512-7-2055	53.5 mm	19 mm	10.5 mm	40 mm
512-7-2056	45.8 mm	19 mm	9.8 mm	32 mm
512-7-2057	45.4 mm	19.8 mm	18 mm	31.8 mm
512-7-2058	53.5 mm	19.3 mm	14.8 mm	39.7 mm
512-7-2059	45 mm	15 mm	17.6 mm	31.6 mm
512-7-2060	78.2 mm	19 mm	19 mm	64.6 mm
512-7-2061	38.5 mm	15 mm	13.4 mm	27 mm
512-7-2062	66.5 mm	19.8 mm	14.4 mm	52.6 mm

Material: Nylon 66
Standard Color:
Natural / Black




Part-no.	L	W	H	B
512-7-2063	40.7 mm	12.7 mm	7.5 mm	31.5 mm
512-7-2064	36 mm	12.7 mm	13.2 mm	27 mm
512-7-2065	36 mm	15 mm	15.9 mm	27 mm
512-7-2066	35.8 mm	12.5 mm	10.3 mm	26.8 mm
512-7-2067	26.2 mm	12.7 mm	5.8 mm	17 mm
512-7-2068	72.3 mm	12.9 mm	9 mm	63 mm

Material: Nylon 66
Standard Color:
Natural / Black



Part-no.	L	W	B
512-7-2069	65 mm	10.2 mm	53.8 mm
512-7-2070	67 mm	16 mm	54 mm
512-7-2071	77 mm	10 mm	64.5 mm
512-7-2072	78 mm	19.7 mm	64 mm


Self-Adhesive Flat Cable clamp with protection foam



Part-no.	L	W	H
512-7-2073	45 mm	19 mm	12.5 mm
512-7-2074	53.5 mm	19 mm	12.5 mm
512-7-2075	77.5 mm	19 mm	12.5 mm


Push mount Wire Holder

Material: Nylon 66
Standard Color:
Natural / Black



Part-no.	Dimension A x B x C x D x E	P.C.B hole ø	P.C.B Thickness
512-6-0795	9 x 6.6 x 4 x 7.3 x 5.3 mm	3.0 mm	1.6 mm
512-6-0796	10.7 x 8.3 x 4 x 9.6 x 7 mm	3.3 mm	1.0 mm
512-6-0797	10.7 x 8.3 x 4 x 9.6 x 7 mm	3.0 mm	1.6 mm
512-6-0798	9 x 6.6 x 4 x 7.3 x 5.3 mm	3.5 mm	1.6 mm
512-6-0799	9 x 6.6 x 4 x 7.3 x 5.3 mm	3.5 mm	1.0 mm
512-6-0800	10.5 x 8 x 4 x 9.3 x 6.4 mm	3.0 mm	0.8~1.6 mm
512-6-0801	12 x 8.8 x 4 x 11 x 8.5 mm	3.5 mm	1.0~1.6 mm
512-6-0802	9.2 x 6.8 x 4 x 7.6 x 5 mm	3.0 mm	1.0~1.6 mm
512-6-0803	12 x 9 x 4 x 11.5 x 8.5 mm	3.5 mm	1.0~1.6 mm
512-6-0804	11.6 x 9 x 4 x 7.3 x 5.3 mm	3.5 mm	0.8~1.2 mm

Material: Nylon 66
Standard Color:
Natural / Black



Part-no.	Dimension A x B x C x D x E	P.C.B hole ø	P.C.B Thickness
512-6-0805	15 x 11.2 x 5.3 x 12 x 5 mm	5.0 mm	0.8~2.0 mm
512-6-0806	15 x 11.2 x 5.3 x 12 x 5 mm	5.0 mm	2.2 mm
512-6-0807	15 x 11.2 x 5.3 x 17 x 10 mm	5.0 mm	0.8~2.0 mm
512-6-0808	15 x 11.2 x 5.3 x 26 x 19 mm	5.0 mm	0.8~2.0 mm
512-6-0809	15 x 11.2 x 5.3 x 34 x 27 mm	4.8 mm	0.8~2.0 mm
512-6-0810	15 x 11.2 x 5.6 x 17.8 x 9.9 mm	4.8 mm	1.6~3.2 mm
512-6-0811	15 x 11.2 x 5.3 x 17 x 10 mm	4.8 mm	0.8~2.2 mm
512-6-0812	15 x 11.2 x 5.3 x 17 x 10 mm	4.8 mm	0.8~2.5 mm
512-6-0813	15 x 10.6 x 5.2 x 20 x 13.4 mm	4.8 mm	0.8~2.2 mm

Cable Twist Lock Standoff

Material: Nylon 66
Standard Color:
Natural / Black




Part-no.	Dimension H x L	Max. Bundle ø	Mounting hole ø mm	P.C.B Thickness
512-6-0814	3.1 x 33.8 mm	6.0 mm	4.8~5.0	0.8~3.0 mm
512-6-0815	20 x 51 mm	6.0 mm	4.8~5.0	0.8~3.0 mm
512-6-0816	35.3 x 66 mm	6.0 mm	4.8~5.0	0.8~3.0 mm
512-6-0817	2.8 x 39.6 mm	9.8 mm	4.8~5.0	0.8~3.0 mm
512-6-0818	20 x 56.8 mm	9.8 mm	4.8~5.0	0.8~3.0 mm
512-6-0819	35.2 x 71.5 mm	9.8 mm	4.8~5.0	0.8~3.0 mm
512-6-0820	3.0 x 42 mm	13.8 mm	4.8~5.0	0.8~3.0 mm
512-6-0821	20.4 x 59.3 mm	13.8 mm	4.8~5.0	0.8~3.0 mm
512-6-0822	35.8 x 74.7 mm	13.8 mm	4.8~5.0	0.8~3.0 mm
512-6-0823	16.2 x 63.5 mm	18.4 mm	4.8~5.0	0.8~3.0 mm
512-6-0824	3.0 x 56.8 mm	22.3 mm	4.8~5.0	0.8~2.5 mm
512-6-0825	15.3 x 53.1 mm	9.7 mm	4.8~5.0	0.8~3.0 mm
512-6-0826	5.0 x 55.3 mm	18.7 mm	4.8~5.0	0.8~3.0 mm
512-6-0827	10.5 x 43.8 mm	6.8 mm	4.8~5.0	0.8~3.0 mm
512-6-0828	5.6 x 34.7 mm	7.0 mm	4.8~5.0	0.8~2.0 mm
512-6-0829	4.4 x 40.9 mm	9.8 mm	4.8~5.0	0.8~2.5 mm

Multi Cable Management





Part-no.	Dimension LxWxH
512-7-2076	58.5 x 19.5 x 43.5 mm



Part-no.
512-7-2077

Self-Adhesive Multi Cable Clips






Part-no.	Holder	L x W x H
512-7-2010-1	1	28.6 x 15 x 14.1 mm
512-7-2010-3	3	52.5 x 15 x 15 mm
512-7-2010-6	6	85 x 15 x 20.9 mm

Self-Adhesive Mini Wire Clips



Part-no.	Dimension	Bundle
512-7-2009	ø10 x 5 mm	ø2 mm max.

Self-Adhesive soft Cable Clips



Part-no.	Dimension	Bundle
512-7-2078	31 x 31 mm	ø8 mm max.
512-7-2079	31 x 23 mm	ø8 mm max.
512-7-2080	31 x 31 mm	ø8 mm max.

Soft Cable Clips Self-Adhesive

Part-no.	Dimension	Bundle
512-7-2000	ø35 x 18 mm	ø9 mm max.

Two Holders



Part-no.	Dimension	Bundle
512-7-2001	ø28 x 15 mm	ø8 mm

Three Holders | Five Holders



Part-no.	Bundle	Part-no.	Bundle
512-7-2002	ø9 mm	512-7-2004	ø8 mm



HONG KONG OFFICE

SUGO INDUSTRIAL COMPANY LIMITED

UNIT K, FLOOR 22, No.55 KING YIP STREET,
KWUN TONG, KWLOON, HONG KONG SAR

TEL: +852 2790 1280

FAX: +852 2389 0688

E-MAIL:sales@sugo.com.hk

AUSTRALIA OFFICE

SUGO INTERNATIONAL PTY. LIMITED

KRA-MAR HOUSE, SUITE 101A, 21-23 BELMORE ST.,
2134 BURWOOD, SYDNEY, NSW, AUSTRALIA

TEL: +61 02 8385 0076

E-MAIL:sales@sugo-au.com

CHINA MAINLAND FACTORY

SUYO PLASTIC AND ELECTRONIC MANUFACTORY

NO.6 GUANGKOU ROAD, SHANSHA VILLAGE,
HENGLI TOWN, DONGGUAN CITY, GUANGDONG, CHINA